

HSPOS TECHNOLOGY LIMITED
 5 floor, A1 building, Nanshui industrial park, Sanjiao
 Town, Zhongshan City, Guangdong Province, China
Tel +86 0760-85546950 **Fax** +86 0760-85546950
 Website: www.hsprinter.com
 Email: mikepeng@hsprinter.com



A4PU Portable Thermal Printer

Function

- ◆ High print quality and low cost;
- ◆ Easy to install paper structure, easy to operate;
- ◆ high printing speed up to 80MM / S;
- ◆ Support multi-language print, suitable for use around the world;
- ◆ Support Windows, Linux, Android and IOS system printing;
- ◆ Low power consumption, no ribbon and ink cartridges, the use of low
- ◆ Support usb, Bluetooth, WIFI
- ◆ With Android app, can print PDF, documents, photos from Cellphone.
- ◆ Support Tattoo Printing With Android App.



Interface

Model	Interface	Notice
HS-A4P	USB	Support documents printing
	USB+Bluetooth	
	USB+WIFI	
HS-A4K	USB	Support Tattoo Printing
	Usb+Bluetooth	
	USB+wifi	

Application



Mobile Office



Equipment tester



Tattoo Printing



Self-service equipment

Color



Black



Beige



Gold

HSPOS TECHNOLOGY LIMITED
5 floor, A1 building, Nanshui industrial park, Sanjiao
Town, Zhongshan City, Guangdong Province, China
Tel +86 0760-85402097 **Fax** +86 0760-85402097
Website: www.hsprinter.com
Email: info@hsprinter.com



Parameters

Item	Parameter
Printing Method	Thermal line
Print width	216mm
Point Density	1728 dot/line (8dots/mm, 203dpi)
printing speed	80mm/s (Max)
Point spacing	0.125MM
Point size	0.125MM*0.12MM
Paper Accuracy	0.125mm
Interface	USB, USB+Bluetooth / USB+WIFI
detection method	Thermistor
Paper Type	Thermal paper & Tattoo paper
Paper Width	210mm
Paper Diameter	35mm
Out of paper	Reflective light sensor
Commands	ESC/POS
Operate Voltage	21.6V-26.4VDC
Logic voltage	4.75V-5.25VDC
Motor voltage	21.6V-26.4VDC
weight	228g
physical dimension	295*73*39(MM) length* width* height
Printhead life	More than 100KM (Print density≤12.5)

Package

HSPOS TECHNOLOGY LIMITED
5 floor, A1 building, Nanshui industrial park, Sanjiao
Town, Zhongshan City, Guangdong Province, China
Tel +86 0760-85402097 **Fax** +86 0760-85402097
Website: www.hsprinter.com
Email: info@hsprinter.com

